


WHAT IS CLAIMED IS:

1. A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt thereof, wherein:

Q is an aryl, a 5- or 6-membered heteroaryl, or a 4–8-membered heterocyclic ring;

T together with the $-N=C-$ to which it is attached forms a heteroaryl ring, or a heterocyclic ring where the $N=C$ bond is the only site of unsaturation;

R^1 and R^2 each independently are hydrogen, hydroxy, halogen, cyano, nitro, vinyl, ethynyl, methoxy, OCF_nH_{3-n} , $-N(C_{0-4}alkyl)(C_{0-4}alkyl)$, CHO, or $C_{1-2}alkyl$ optionally substituted with 1-5 independent halogen, hydroxy, cyano, methoxy, $-N(C_{0-2}alkyl)(C_{0-2}alkyl)$, $SOCH_3$, or SO_2CH_3 substituents; or R^1 and R^2 together form a carbocyclic or heterocyclic ring; or R^1 and R^2 may be taken together to represent an oxygen atom attached to the ring via a double bond;

R^3 and R^4 each independently are hydrogen, halogen, OCF_nH_{3-n} , methoxy, CO_2R^{77} , cyano, nitro, CHO, $CONR^{99}R^{100}$, $CON(OCH_3)CH_3$, or $C_{1-2}alkyl$, heteroaryl, or $C_{3-7}cycloalkyl$ optionally substituted with 1-5 independent halogen, hydroxy, cyano, methoxy, $-NHCO_2CH_3$, or $-N(C_{0-2}alkyl)(C_{0-2}alkyl)$ substituents; or R^3 and R^4 together form a 5–8-membered aromatic, heteroaromatic, carbocyclic, or heterocyclic ring;

R^5 and R^6 each independently are hydrogen, hydroxy, halogen, cyano, nitro, CO_2R^7 , CHO, COR^8 , $C(OH)R^7R^8$, $C(=NOR^7)R^8$, $CONR^9R^{10}$, SR^7 , SOR^8 , SO_2R^8 , $SO_2NR^9R^{10}$, $CH_2NR^9R^{10}$, NR^9R^{10} , $N(C_{0-4}alkyl)SO_2R^8$, $NHCOR^7$, or $C_{1-4}alkyl$ group,

C₂₋₄alkenyl group, C₂₋₄alkynyl group, C₁₋₄alkoxy group, aryl group, or heteroaryl group, wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, C₁₋₂alkoxy, -N(C₀₋₂alkyl)(C₀₋₂alkyl), C₁₋₂alkyl, CF_nH_{3-n}, aryl, heteroaryl, -COC₁₋₂alkyl, -CON(C₀₋₂alkyl)(C₀₋₂alkyl), SCH₃, SOCH₃, SO₂CH₃, or
 5 -SO₂N(C₀₋₂alkyl)(C₀₋₂alkyl) substituents; or R⁵ and R⁶ together form a 5-8-membered carbocyclic or heterocyclic ring;

R⁷ and R⁷⁷ each independently are hydrogen, or C₁₋₄alkyl group, C₂₋₄alkenyl group, C₂₋₄alkynyl group, C₃₋₇cycloalkyl group, aryl group, heteroaryl group, or 4-7-membered heterocyclic group, wherein any group optionally is substituted with 1-6
 10 independent halogen, cyano, nitro, hydroxy, C₁₋₂alkoxy, -N(C₀₋₂alkyl)(C₀₋₂alkyl), C₁₋₂alkyl, C₃₋₇cycloalkyl, 4-7-membered heterocyclic ring, CF_nH_{3-n}, aryl, heteroaryl, CO₂H, -COC₁₋₂alkyl, -CON(C₀₋₂alkyl)(C₀₋₂alkyl), SOCH₃, SO₂CH₃, or -SO₂N(C₀₋₂alkyl)(C₀₋₂alkyl) substituents;

R⁸ is C₁₋₄alkyl group, C₂₋₄alkenyl group, C₂₋₄alkynyl group, C₃₋₇cycloalkyl group, aryl group, heteroaryl group, or 4-7-membered heterocyclic group, wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, C₁₋₂alkoxy, -N(C₀₋₂alkyl)(C₀₋₂alkyl), C₁₋₂alkyl, C₃₋₇cycloalkyl, 4-7-membered heterocyclic ring, CF_nH_{3-n}, aryl, heteroaryl, CO₂H, COC₁₋₂alkyl, -CON(C₀₋₂alkyl)(C₀₋₂alkyl), SOCH₃, SO₂CH₃, or -SO₂N(C₀₋₂alkyl)(C₀₋₂alkyl)
 15 substituents;

R⁹, R¹⁰, R⁹⁹, and R¹⁰⁰ each independently are hydrogen, or C₁₋₄alkyl group, C₃₋₇cycloalkyl group, aryl group, heteroaryl group, or 4-7-membered heterocyclic group, wherein any group optionally is substituted with 1-6 independent halogen, cyano, nitro, hydroxy, C₁₋₂alkoxy, -N(C₀₋₂alkyl)(C₀₋₂alkyl), C₁₋₂alkyl, C₃₋₇cycloalkyl, 4-7-membered heterocyclic ring, CF_nH_{3-n}, aryl, heteroaryl, COC₁₋₂alkyl, -CON(C₀₋₂alkyl)(C₀₋₂alkyl), SOCH₃, SO₂CH₃, or -SO₂N(C₀₋₂alkyl)(C₀₋₂alkyl)
 20 substituents; or R⁹ and R¹⁰ or R⁹⁹ and R¹⁰⁰ together form a 6-8-membered heterobicyclic ring system or a 4-8-membered heterocyclic ring which optionally is substituted with 1-2 independent C₁₋₂alkyl, CH₂OCH₃, COC₀₋₂alkyl, hydroxy, or
 25 SO₂CH₃ substituents;

n is 1, 2 or 3;

m is 0 or 1; and

the dotted line together with the solid line forms an optional double bond, and Δ indicates that the double bond has the (*E*)-configuration.

2. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the dotted line together with the solid line forms a double bond.

3. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the dotted line together with the solid line forms a single bond.


4. A compound according to claim 3, or a pharmaceutically acceptable salt thereof, wherein the dotted line together with the solid line forms a single bond, and the absolute configuration at the asymmetric centre α to the amide carbonyl carbon is (*R*).

5. A compound according to claim 1, wherein m is 0.

6. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein Q is thienyl, furyl, thiazolyl, pyridyl, tetrahydropyranyl, piperidinyl, tetrahydrothiopyranyl, 1-oxo-tetrahydrothiopyranyl or 1,1-dioxo-tetrahydrothiopyranyl.


7. A compound according to claim 6, or a pharmaceutically acceptable salt thereof, wherein Q is 4-tetrahydropyranyl.

8. The compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein the group of formula




is thiazolyl, thiadiazolyl, oxazolyl, isoxazolyl, pyrimidinyl, pyrazinyl, or pyridyl.

9. A compound according to claim 8, or a pharmaceutically acceptable salt thereof, wherein the group of formula



is 2-pyrazinyl or 2-thiazolyl.

10. A compound according to claim 9, or a pharmaceutically acceptable salt thereof, wherein the group of formula



is 2-thiazolyl, R^3 is 5-fluoro and R^4 is hydrogen.

11. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R^3 and R^4 are independently selected from hydrogen, halogen, and methyl.

12. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R^5 is SOR^8 , SO_2R^8 , or $SO_2NR^9R^{10}$.

13. A compound according to claim 12, or a pharmaceutically acceptable salt thereof, wherein R^8 is C_{1-4} alkyl or C_{3-7} cycloalkyl.

14. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R^5 is SO_2C_{3-4} cycloalkyl.

15. A compound according to claim 1, or a pharmaceutically acceptable salt thereof, wherein R^6 is hydrogen.

16. A compound selected from:

(*E*)-2-(4-Methanesulfonylphenyl)-*N*-thiazol-2-yl-3-thiophen-3-ylacrylamide;
 (*E*)-2-(4-Methanesulfonylphenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;
 (*E*)-3-Furan-2-yl-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3,*N*-bisthiazol-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(5-methylthiophen-2-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-(5-Chlorothiophen-2-yl)-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-thiazol-5-yl-*N*-thiazol-2-ylacrylamide;

2-(4-Methanesulfonylphenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylpropionamide;

2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

N-(5-Fluorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-2-(4-Bromophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Methoxyphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,4]triazol-1-ylphenyl)acrylamide;

(*E*)-3-(Tetrahydrothiopyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,4]triazol-1-ylphenyl)acrylamide;

(*E*)-3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,3]triazol-1-ylphenyl)acrylamide;

3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-(4-trifluoromethylsulfonylphenyl)propionamide;

2-(4-Methylsulfonylmethylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Methanesulfonylphenyl)-*N*-(1*H*-pyrazol-3-yl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Methanesulfonylphenyl)-*N*-pyridin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Methanesulfonylphenyl)-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)propionamide;

N-(4,5-Dihydrothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

N-(1*H*-Imidazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

N-Benzothiazol-2-yl-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

5 2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-[1,3,4]thiadiazol-2-ylpropionamide;

2-(4-Methanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

10 *N*-(5-Fluoropyridin-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Methanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Methanesulfonylphenyl)-*N*-(5-methylthiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

15 2-(4-Methanesulfonylphenyl)-*N*-(4-methylthiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

20 2-(4-Cyclopropanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-[1,2,4]thiadiazol-5-ylpropionamide;

(*E*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

25 2-(4-Methanesulfonylphenyl)-*N*-(5-nitrothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-2-ylacrylamide;

30 (*E*)-*N*-(5-Chloro-4-methylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-furan-2-yl-2-(4-methanesulfonylphenyl)acrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-3-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-pyridin-3-ylacrylamide;

N-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-2-ylpropionamide;

5 *N*-(5-Chloro-4-methylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiazol-5-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-(5-chlorothiazol-2-yl)-3-furan-2-ylacrylamide;

10 (*E*)-2-(4-Bromophenyl)-3-furan-2-yl-*N*-pyrimidin-4-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-(5-bromothiazol-2-yl)-3-furan-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-3-furan-2-yl-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-3-furan-2-yl-*N*-(5-methylthiazol-2-yl)acrylamide;

(*E*)-*N*-Benzothiazol-2-yl-2-(4-bromophenyl)-3-furan-2-ylacrylamide;

15 (*E*)-2-(4-Bromophenyl)-*N*-(4,5-dimethylthiazol-2-yl)-3-furan-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-(5-bromothiazol-2-yl)-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-[1,3,4]thiadiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Bromophenyl)-*N*-(5-methylthiazol-2-yl)-3-thiophen-2-ylacrylamide;

20 (*E*)-2-(4-Bromophenyl)-*N*-(5-chlorothiazol-2-yl)-3-thiophen-2-ylacrylamide;

(*E*)-3-Furan-2-yl-2-(4-methoxyphenyl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-Furan-2-yl-2-(4-methoxyphenyl)-*N*-(5-methylthiazol-2-yl)acrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-nitrophenyl)-3-thiophen-2-ylacrylamide;

(*E*)-*N*-(5-Bromothiazol-2-yl)-2-(4-nitrophenyl)-3-thiophen-2-ylacrylamide;

25 (*E*)-2-(4-Nitrophenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-*N*-(5-Bromothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Cyanophenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-cyanophenyl)-3-thiophen-2-ylacrylamide;

30 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-cyanophenyl)-3-phenylacrylamide;

2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-yl-propionamide;

(*E*)-2-Phenyl-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-2-Phenyl-*N*-[1,3,4]thiadiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

5 (*E*)-*N*-(5-Bromothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)-*N*-thiazol-2-ylacrylamide;

10 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)acrylamide;

(*E*)-*N*-(5-Chloro-4-methylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)acrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)-*N*-thiazol-2-ylacrylamide;

15 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)acrylamide;

N-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

20 2-(4-Methoxymethylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-2-[4-(tetrahydropyran-4-ylsulfanyl)phenyl]-*N*-thiazol-2-ylpropionamide;

2-(3-Methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

25 2-(4-Methylsulfanyl-3-nitrophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

(*E*)-2-(4-Nitrophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-nitrophenyl)-3-(tetrahydropyran-4-yl)acrylamide;

30 (*E*)-2-(4-Methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

2-(3-Fluoro-4-methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-formylthiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

5 (E)-*N*-(5-Chlorothiazol-2-yl)-2-(4-cyclopropanesulfinylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(E)-2-(4-Cyclopropanesulfinylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

10 2-(3-Bromo-4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Ethanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Ethylsulfamoylphenyl)-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)propionamide;

15 2-(4-Ethylsulfamoylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide

(2*R*)-3-(Tetrahydropyran-4-yl)-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylpropionamide;

20 (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-*N*-(5-Fluorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

25 (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-[1,2,4]thiadiazol-5-ylpropionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

30 (2*R*)-*N*-(5-Fluoropyridin-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluoropyridin-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

5 (2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-isoxazol-3-yl-3-(tetrahydropyran-4-yl)propionamide;

10 (2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-(1-methyl-1*H*-pyrazol-3-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)-propionamide;

15 (2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)-propionamide;

(2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-pyridin-2-yl-3-(tetrahydropyran-4-yl)-propionamide;

20 (2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-(1-methyl-1*H*-pyrazol-3-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Ethylsulfamoylphenyl)-*N*-(6-methoxypyrimidin-4-yl)-3-(tetrahydropyran-4-yl)propionamide;

25 (*E*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluoropyridin-2-yl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)acrylamide;

30 2-(3-Fluoro-4-methanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-*N*-(5-Fluorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Ethanesulfonylphenyl)-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Ethanesulfonylphenyl)-*N*-isoxazol-3-yl-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-*N*-(5-Fluorothiazol-2-yl)-2-[4-(propane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)acrylamide;

5 (*E*)-2-[4-(Propane-1-sulfonyl)phenyl]-*N*-pyrimidin-4-yl-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-*N*-(3-Methyl-[1,2,4]thiadiazol-5-yl)-2-[4-(propane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)acrylamide;

10 (*E*)-*N*-(1-Methyl-1*H*-pyrazol-3-yl)-2-[4-(propane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-Phenyl-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Formylphenyl)-*N*-(5-formylthiazol-2-yl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-*N*-(5-Formylthiazol-2-yl)-2-phenyl-3-(tetrahydropyran-4-yl)acrylamide;

15 2-[2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionylamino]thiazole-5-carboxylic acid;

2-[2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionylamino]thiazole-5-carboxylic acid methoxy-methyl-amide;

20 2-[2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionylamino]thiazole-5-carboxylic acid methylamide;

(*E*)-2-[2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acryloylamino]thiazole-5-carboxylic acid methylamide;

N-(5-Formylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

25 *N*-(5-Hydroxymethylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

N-(5-Cyanothiazol-2-yl)-2-(4-cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

30 *N*-(5-Cyanothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

Methyl {2-[2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionylamino]-thiazol-5-ylmethyl} carbamate;

(*E*)-3-(1-Formylpiperidin-4-yl)-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(1-oxohexahydro-1 λ^4 -thiopyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-3-(1,1-Dioxohexahydro-1 λ^6 -thiopyran-4-yl)-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylacrylamide;

5 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(1-oxohexahydro-1 λ^4 -thiopyran-4-yl)acrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-3-(1,1-dioxohexahydro-1 λ^6 -thiopyran-4-yl)-2-(4-methanesulfonylphenyl)acrylamide;

10 2-(3-Fluoro-4-methanesulfinylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(3-Fluoro-4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

N-(5-Bromothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

15 (*E*)-2-(4-Hydroxyphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylaminophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

3-(Tetrahydropyran-4-yl)-2-[4-(tetrahydropyran-4-ylmethylsulfanyl)phenyl]-*N*-thiazol-2-ylpropionamide;

20 2-[4-(Pyridin-3-ylsulfanyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-2-[4-(tetrahydropyran-4-ylmethanesulfonyl)phenyl]-*N*-thiazol-2-ylpropionamide;

25 2-(4-Methoxymethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Tetrahydropyran-4-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Pyridine-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

30 2-(3-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropylmethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Pyridin-3-ylmethanesulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Propane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

5 2-(4-Ethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyanomethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

10 2-[4-([1,2,4]Oxadiazol-3-ylmethanesulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-([1,3]Dioxolan-2-ylmethanesulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Propane-2-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

15 2-[4-(Oxetane-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-((3*S*)-Tetrahydrofuran-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

20 2-[4-((3*R*)-Tetrahydrofuran-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclobutanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(2-Oxopropane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

25 2-[4-(Pyridine-2-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Pyridine-2-sulfinyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

30 2-[4-(Pyrazine-2-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Pyrazine-2-sulfinyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Pyrimidine-5-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(3-Amino-4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(3-Chloro-4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

5 2-[4-(Morpholine-4-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Sulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Methylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

10 2-(4-Dimethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(4-Methylpiperazine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

15 2-{4-[(Pyridin-2-ylmethyl)sulfamoyl]phenyl}-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-{4-[(Pyridin-3-ylmethyl)sulfamoyl]phenyl}-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-2-{4-[(tetrahydropyran-4-ylmethyl)sulfamoyl]phenyl}-*N*-thiazol-2-ylpropionamide;

20 2-{4-[(Tetrahydrofuran-2-ylmethyl)sulfamoyl]phenyl}-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-[4-(thiomorpholine-4-sulfonyl)phenyl]propionamide;

25 2-[4-(Azetidine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-([1,4]Oxazepane-4-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

30 2-[4-(Cyclopropylmethylsulfamoyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-{4-[(thiophen-2-ylmethyl)sulfamoyl]phenyl}propionamide;

2-[4-((1*S*,4*S*)-2-Oxa-5-azabicyclo[2.2.1]heptane-5-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Ethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

5 2-[4-(4-Methyl-[1,4]diazepane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-((2*R*)-2-Methoxymethylpyrrolidine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

10 3-(Tetrahydropyran-4-yl)-2-[4-(tetrahydropyran-4-ylsulfamoyl)phenyl]-*N*-thiazol-2-ylpropionamide;

2-[4-(Imidazole-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

N-(5-Chlorothiazol-2-yl)-2-[4-(2-dimethylaminoethylsulfamoyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

15 *N*-(5-Chlorothiazol-2-yl)-2-[4-(3-hydroxyazetidine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

N-(5-Chlorothiazol-2-yl)-2-[4-((3*S*)-3-hydroxypyrrolidine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

20 *N*-(5-Chlorothiazol-2-yl)-2-[4-(4-methylpiperazine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

N-(5-Chlorothiazol-2-yl)-2-[4-(piperazine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

N-(5-Chlorothiazol-2-yl)-2-[4-(2-methylaminoethylsulfamoyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

25 2-[4-(2-Aminoethylsulfamoyl)phenyl]-*N*-(5-chlorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

N-Ethyl-4-[2-(tetrahydropyran-4-yl)-1-(thiazol-2-ylcarbamoyl)ethyl]benzamide;

30 2-(3-Chloro-4-methanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Methanesulfonyl-3-trifluoromethylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide; and

2-(3,4-Dichlorophenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

or a pharmaceutically acceptable salt thereof.

17. A compound selected from:

(*E*)-2-(4-Methanesulfonylphenyl)-*N*-thiazol-2-yl-3-thiophen-2-ylacrylamide;

(*E*)-3-Furan-2-yl-2-(4-methanesulfonylphenyl)-*N*-thiazol-2-ylacrylamide;

2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,4]triazol-1-ylphenyl)acrylamide;

(*E*)-3-(Tetrahydrothiopyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,4]triazol-1-ylphenyl)acrylamide;

(*E*)-3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-(4-[1,2,3]triazol-1-ylphenyl)acrylamide;

N-Benzothiazol-2-yl-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Cyclopropanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-[1,2,4]thiadiazol-5-ylpropionamide;

(*E*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chloro-4-methylthiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-thiophen-2-ylacrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-*N*-(5-Bromothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)-*N*-thiazol-2-ylacrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydrothiopyran-4-yl)acrylamide;

5 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methanesulfinylphenyl)-3-(tetrahydrothiopyran-4-yl)acrylamide;

2-(4-Methoxymethylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

(*E*)-2-(4-Nitrophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

10 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-nitrophenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

15 (*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-methylsulfanylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-*N*-(5-Chlorothiazol-2-yl)-2-(4-cyclopropanesulfinylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Cyclopropanesulfinylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

20 (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-[1,2,4]thiadiazol-5-ylpropionamide;

25 (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluoropyridin-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

30 (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(3-methyl-[1,2,4]thiadiazol-5-yl)-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide;

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;

(*E*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)acrylamide;

5 (*E*)-*N*-(5-Fluorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide;

(*E*)-2-(4-Methanesulfonylaminophenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylacrylamide;

10 2-[4-(Pyridin-3-ylsulfanyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Methoxymethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Tetrahydropyran-4-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

15 2-[4-(Pyridine-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropylmethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

20 2-[4-([1,2,4]Oxadiazol-3-ylmethanesulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-([1,3]Dioxolan-2-ylmethanesulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Oxetane-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

25 2-[4-((3*S*)-Tetrahydrofuran-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-((3*R*)-Tetrahydrofuran-3-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

30 2-(4-Cyclobutanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(2-Oxopropane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Methylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Dimethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(4-Methylpiperazine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-{4-[(Pyridin-2-ylmethyl)sulfamoyl]phenyl}-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-{4-[(Pyridin-3-ylmethyl)sulfamoyl]phenyl}-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Azetidine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Cyclopropylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Cyclopropylmethylsulfamoyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

3-(Tetrahydropyran-4-yl)-*N*-thiazol-2-yl-2-{4-[(thiophen-2-ylmethyl)sulfamoyl]phenyl}propionamide;

2-[4-((1*S*,4*S*)-2-Oxa-5-azabicyclo[2.2.1]heptane-5-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-(4-Ethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(4-Methyl-[1,4]diazepane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

2-[4-(Imidazole-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)-*N*-thiazol-2-ylpropionamide;

N-(5-Chlorothiazol-2-yl)-2-[4-(2-dimethylaminoethylsulfamoyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide; and

N-(5-Chlorothiazol-2-yl)-2-[4-(piperazine-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)propionamide;

or a pharmaceutically acceptable salt thereof.

18. A compound selected from:

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide; and


(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide;
or a pharmaceutically acceptable salt thereof.

19. (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-(5-fluorothiazol-2-yl)-3-(tetrahydropyran-4-yl)propionamide, or a pharmaceutically acceptable salt thereof.

20. (2*R*)-2-(4-Cyclopropanesulfonylphenyl)-*N*-pyrazin-2-yl-3-(tetrahydropyran-4-yl)propionamide, or a pharmaceutically acceptable salt thereof.

21. (*E*)-*N*-(5-Fluorothiazol-2-yl)-2-(4-methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylamide, or a pharmaceutically acceptable salt thereof.

22. A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt thereof, wherein:

Q is 4-tetrahydropyranyl;

T together with the $-N=C-$ to which it is attached forms a 2-pyrazinyl or 2-thiazolyl ring;

R^1 and R^2 are hydrogen;

R^3 and R^4 each independently are hydrogen or fluoro;

R^5 is SO_2R^8 , or $SO_2NR^9R^{10}$;

R^6 is hydrogen;


R^8 is a C_{3-5} cycloalkyl group or a 4–6-membered heterocyclic group, and, in addition, when the dotted line together with the solid line forms a double bond R^8 may be a C_{1-3} alkyl group;

R^9 and R^{10} are independently C_{0-4} alkyl, provided that R^9 and R^{10} are not both hydrogen;

m is 0; and

the dotted line together with the solid line forms an optional double bond, and Δ indicates that the double bond has the (*E*)-configuration.

23. A compound of Formula (I):



(I)

or a pharmaceutically acceptable salt thereof, wherein:

Q is 4-tetrahydropyranyl;

T together with the $-N=C-$ to which it is attached forms a 2-pyrazinyl or 2-thiazolyl ring;

R^1 and R^2 are hydrogen;

R^3 and R^4 each independently are hydrogen or fluoro;

R^5 is SO_2R^8 ;

R^6 is hydrogen;

R^8 is a C_{3-4} cycloalkyl group and, in addition, when the dotted line together with the solid line forms a double bond R^8 may be a C_{1-3} alkyl group;

m is 0; and

the dotted line together with the solid line forms an optional double bond, and Δ indicates that the double bond has the (*E*)-configuration.

24. A pharmaceutical composition comprising a compound according to claim 1, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.


25. A method of prophylactic or therapeutic treatment of a condition where activation of GK is desirable comprising a step of administering an effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof.

26. A method of prophylactic or therapeutic treatment of hyperglycemia or diabetes comprising a step of administering an effective amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof.

27. The method according to claim 26 wherein the compound according to any one of claim 1 is administered in combination with one or more other anti-hyperglycemic agents or anti-diabetic agents.


28. A method of prevention of diabetes in a human demonstrating pre-diabetic hyperglycemia or impaired glucose tolerance comprising a step of administering an effective prophylactic amount of a compound according to claim 1, or a pharmaceutically acceptable salt thereof.

29. A process for the preparation of a compound of Formula (Ia)




(Ia)

said process comprising a step of the condensation of a compound of Formula (IV):




with a compound of Formula (V):




5 wherein Q, T, R¹ to R⁶, m and Δ are as defined in claim 1.


30. A process for the preparation of a compound of Formula (Ib)



10 said process comprising a step of the condensation of a compound of Formula (VIII):




with a compound of Formula (V):



wherein Q, T, R¹ to R⁶ and m are as defined in claim 1.

5

31. A compound of formula (IV):



wherein Q is 4-tetrahydropyranyl;

R¹ and R² are hydrogen;

R⁵ is SO₂R⁸, or SO₂NR⁹R¹⁰;

R⁶ is hydrogen;

10

R^8 is a C_{1-3} alkyl group, a C_{3-5} cycloalkyl group or a 4–6-membered heterocyclic group;

R^9 and R^{10} are independently C_{0-4} alkyl, provided that R^9 and R^{10} are not both hydrogen;

m is 0; and

the dotted line together with the solid line forms a double bond, and Δ indicates that the double bond has the (*E*)-configuration.

32. A compound of Formula (IV) selected from:

(*E*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylic acid;


(*E*)-2-(4-Cyclopropanesulfinylphenyl)-3-(tetrahydropyran-4-yl)acrylic acid;

(*E*)-2-(4-Methanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylic acid;

(*E*)-2-(4-Ethanesulfonylphenyl)-3-(tetrahydropyran-4-yl)acrylic acid; and

(*E*)-2-[4-(Propane-1-sulfonyl)phenyl]-3-(tetrahydropyran-4-yl)acrylic acid.

33. A compound of formula (VIII):



Q is 4-tetrahydropyranyl;

R^1 and R^2 are hydrogen;

R^5 is SO_2R^8 , or $SO_2NR^9R^{10}$;

R^6 is hydrogen;

R^8 is a C_{3-5} cycloalkyl group or a 4–6-membered heterocyclic group;

R^9 and R^{10} are independently C_{0-4} alkyl, provided that R^9 and R^{10} are not both hydrogen; and

m is 0.

34. A compound of Formula (VIII) selected from:

2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)-propionic acid;

2-(4-Methoxymethanesulfanylphenyl)-3-(tetrahydropyran-4-yl)-propionic

acid;

2-(4-Ethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)propionic acid;

2-(4-Cyclobutanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionic acid;

(2*R*)-2-(4-Cyclopropanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionic

acid;

(2*R*)-2-(4-Ethylsulfamoylphenyl)-3-(tetrahydropyran-4-yl)propionic acid; and

(2*R*)-2-(4-Cyclobutanesulfonylphenyl)-3-(tetrahydropyran-4-yl)propionic

acid.

35. 5-Fluorothiazol-2-ylamine or an amide or acid addition salt thereof.